

Finance Department

David P. Schmiedicke, Finance Director

www.cityofmadison.com/finance/purchasing

City-County Building, Room 406 210 Martin Luther King, Jr. Boulevard Madison, Wisconsin 53703 Phone: (608) 266-4521 Fax: (608) 266-5948 finance@cityofmadison.com **Purchasing Services**

REQUEST FOR QUOTATION

RFQ #: 5207-0-2023-BP

For: Trailers for Refuse Operations

Released Date: Friday, February 10, 2023

Due Date: Monday, February 27, 2023 @ 2:00 PM CST

City Agency: Fleet Services

Method of Delivery Options

Email Quotation to: bids@cityofmadison.com

1 GENERAL CONDITIONS AND INSTRUCTIONS TO BIDDERS

1.1 Applicable Terms and Conditions

- Products or Equipment. All quotations for supplies and/or equipment must be submitted in accordance with the specifications contained in this solicitation and City of Madison Standard Terms and Conditions.
- Services. All quotations for services must be submitted in accordance with; the specifications contained in this solicitation, City of Madison Standard Terms and Conditions, and Purchase of Services Contract.
- Copies. Copies of above-referenced forms are available from the Purchasing Office or from the following link:

https://www.cityofmadison.com/finance/purchasing/vendor-resources

1.2 Delivered Prices Only

Prices quoted must include shipping charges, FOB Madison. Deliver to: 4151 Nakoosa Trail, Madison, WI, 53714.

1.3 Substitutes

If offering a substitute item, include manufacturer, number, model, specifications and product literature. The City will evaluate substitutes and make the final determination of equivalency.

1.4 Partial Order

Unless otherwise noted, it will be assumed that bidder will accept an order for all or part of the items priced.

Rev. 07/28/2016-5207.doc Page 1

1.5 **Award**

The City will award the bid to the responsive and responsible bidder whose bid is most advantageous to the City. In determining the most advantageous bid, the City will consider criteria such as, but not limited to, cost, quality/workmanship, compatibility, standardization, major and minor exceptions to our specifications, superior design features, warranty, delivery, past experience, installation, equality, discount, customer satisfaction, bidder's past performance and/or service reputation, and service capability. The City may opt to establish alternate selection criteria to protect its best interest or meet performance or operational standards. After the due date, no quotes may be withdrawn for a period of 90 days or as otherwise specified or provided by law.

2 CONTACTS

Technical: For questions regarding technical

specifications.

Tyson Roessler

City of Madison Fleet Services

(608) 246-4544

troessler@cityofmadison.com

For questions regarding Buyer:

instructions, terms & conditions.

Brian Pittelli

City of Madison Purchasing Services

(608) 267-4969

bpittelli@cityofmadison.com

3 **BID DISTRIBUTION NETWORK**

Please note that the City no longer maintains an in-house bidders' list. **Notification of bid opportunities**, addenda, tabulations and awards will only be made to subscribers via these networks.

State of Wisconsin and local agencies bid network. Registration is free. State of Wisconsin

http://vendornet.state.wi.us/vendornet VendorNet System:

National bid network - Free subscription is available to access bids DemandStar by Onvia:

from the City of Madison and other Wisconsin agencies, participating in the Wisconsin Association of Public Purchasers (WAPP). A fee is required if subscribing to multiple agencies that are not included in

WAPP.

Bid Opportunities: www.cityofmadison.com/finance/purchasing/bidDemandStar.cfm

Home Page: www.demandstar.com

To Register: https://www.demandstar.com/app/registration

> Please note when registering: Pick the Wisconsin Association of Public Procurement (WAPP) to select all current Wisconsin

government agencies.

4 LOCAL VENDOR PREFERENCE

The City of Madison has adopted a local preference purchasing policy granting a scoring preference to local suppliers. Only suppliers registered as of the bid's due date will receive preference. Learn more and register at the City of Madison website.

www.cityofmadison.com/business/localPurchasing

Page 2 5207 doc

5 SPECIFICATIONS

Shown below are specifications that must be met for refuse trailers that the City of Madison is looking to acquire. Two different specification for closed top trailers, along with one specification for open top trailer are listed. The City of Madison is looking to purchase one open top trailer and three closed top trailers. All trailers must be equipped with a moving floor. The moving floors should be Hallco or Keith KRF.

STEEL OPEN TOP MOVING FLOOR

QUANTITY: THREE (3) BODY TYPE: STEEL

LENGTH: 40' X 96" WIDE

SIDES: 96" X 10 GA., LAST 8 POSTS3/16" AR 450

TOP RAIL: 6" X 4" X 1/4" STRUCTURAL TUBE

ANGLE TOP RAIL: NA

SIDE POSTS: 6" X 10 GAUGE ON 24" CENTERS REAR POST: 4" X 3" X 3/8" STRUCTURAL TUBE

BOX BRACING: NA

CLEANER PL.: OUTSIDE

TARP: SHURCO ROLL TARP/7 RATCHETS & STRAPS

OR SHURLOK CHANNEL

TARP HOOKS: STD

FLOOR: KEITH KRF II DX 3.0/#2301 SLATS/36" WEAR STRIP:

CROSS MEMBER: 4" JUNIOR I-BEAMS ON 12" CENTERS

TAILGATE: BARN DOOR HINGED CURBSIDE W/TURNBUCKLE

BULKHEAD: 10 GAUGE FULL WRAP BULKHEAD & REAR D.S.

CAT WALK: NA

CHASSIS: 10" X 17# I-BEAM. REAR TO LANDING GEAR AXLES: TP 5" ROUND, 5/8" WALL, 25,000# CAPACITY BRAKES: 16-1/2" X 7" AIR W/ AUTO SLACK ADJUSTERS

4S/2M ABS BRAKE SYSTEM

WHEELS: 10 HOLE HUB PILOTED, OUTBOARD DRUMS

RIMS: 8.25" X 22.5" TUBELESS STEEL DISC YOKOHAMA RY023 11R22.5 16 PLY SUSPENSION: REYCO 21-B 52.000# CAPACITY

AIR RIDE/AIR LIFT: NA

KING PIN: 24" ON A 3/8" KING PIN

FIFTH WHEEL HEIGHT STANDARD 49"

LANDING GEAR: HOLLAND MARK V

TIRE CARRIER: NA

LIGHTS: LED, REAR LIGHTS IN GATE

LIGHT PLUG: 7-WAY

FLAPS: STANDARD FRONT & REAR OF SUSPENSION

BUMPER: STANDARD PUSHER W/TOW HOOK

HYDRAULIC FITTINGS (1) 5100-S5-16B PRESSURE / (1) 5100-S2-16B RETU

HYDRAULIC HOSES: TWO - 108" X 1"

PAINT: LT CHESTNUT METALLIC PPG# 919558

SPREADER BARS: FRONT, CENTER & REAR

OPTIONS:

3/16" HYD/ LINE PROTECTORS

STEEL CLOSED TOP MOVING FLOOR

QUANTITY:

BODY TYPE: STEEL

LENGTH: 40' X 96" WIDE

SIDES: 96" X 10 GAUGE, LAST 8 POSTS 3/16"AR 450

TOP RAIL: 4" X 3" X 1/4" STRUCTURAL TUBE SIDE POSTS: 6" X 10 GAUGE ON 24" CENTERS REAR POST: 4" X 3" X 3/8" STRUCTURAL TUBE

BOX BRACING: ONE ROW EACH SIDE / TRIPLED LAST 8 POSTS

CLEANER PL.: OUTSIDE GRABBERS: 3" HEIL PIN

ROOF: 10 GAUGE, LAST 8 POSTS 3/16" AR 450

ROOF POST: 6" X 10 GAUGE ON 24" CENTERS

ROOF BOXES: ONE ROW CENTER, TRIPLE ROW LAST 8 POSTS FLOOR: KEITH KRF II DX 3.0 W/#2301 SLATS/36" WEAR STR

CROSSMEMBER: 4" JR I-BEAMS ON 12" CENTERS

TAILGATE: DOOR IN A DOOR HINGED CUBSIDE

BULKHEAD: 10 GAUGE FULL WRAP/VENTED BULKHEAD

CHASSIS: 10" X 17# I-BEAM. REAR TO LANGING GEAR AXLES: TP 5" ROUND, 5/8" WALL, 25,000# CAPACITY BRAKES: 16-1/2" X 7" AIR W/ AUTO SLACK ADJUSTERS

4S/2M ABS BRAKE SYSTEM

WHEELS: 10 HOLE HUB PILOTED, OUTBOARD DRUMS

RIMS: 8.25" X 22.5" TUBELESS STEEL DISC YOKOHAMA RY023 11R22.5 16 PLY SUSPENSION: REYCO 21-B 52,000# CAPACITY

KING PIN: 24" ON A 3/8" KING PIN

FIFTH WHEEL HT.: STANDARD 49"

LANDING GEAR: HOLLAND MARK V

TIRE CARRIER: NA

LIGHTS: LED, REAR LIGHTS IN GATE

LIGHT PLUG: 7-WAY

FLAPS: STANDARD FRONT & REAR OF SUSPENSION

BUMPER: I.C.C.

HYD. FITTINGS: (1) 5100-S5-16B PRESSURE / (1) 5100-S2-16B RETU

HYD. HOSES: NA

PAINT: LT CHESTNUT METALLIC PPG# 919558

OPTIONS:

CLOSED TOP MOVING FLOOR

QUANTITY:
BODY TYPE: STEEL

LENGTH: 40' X 96" WIDE

SIDES: 96" X 10 GA., LAST 8 POSTS 3/16" HARDOX

 TOP RAIL:
 4" X 3" X 1/4"" STRUCTURAL TUBE

 SIDE POSTS:
 6" X 10 GAUGE ON 24" CENTERS

 REAR POST:
 4" X 3" X 3/8" STRUCTURAL TUBE

BOX BRACING: ONE ROW EACH SIDE, TRIPLE ROW LAST 8 POSTS

CLEANER PL.: OUTSIDE

GRABBERS: 3" HEIL PIN 10-1/2" IN/39-1/2" FROM GROUND

ROOF: 10 GA., LAST 8 POSTS 3/16" HARDOX ROOF POST: 6" X 10 GAUGE ON 24" CENTERS

ROOF BOXES: ONE ROW CENTER, TRIPLED LAST 8 POSTS.

FLOOR: KEITH KRF II DX 3.0 W/#2301 SLAT/36" WEAR STRIPS

CROSSMEMBER: 4" JR I-BEAMS ON 12" CENTERS

TAILGATE: INNER & OUTER BARNDOOR HINGED CUBSIDE
BULKHEAD: 10 GAUGE FULL WRAP/VENTED BULKHEAD

3/16" SLOPE SHIELD

CHASSIS: 10" X 17# I-BEAM. REAR TO LANGING GEAR AXLES: TP 5" ROUND, 5/8" WALL, 25,000# CAPACITY

BRAKES: 16-1/2" X 7" AIR W/ HALDEX AUTO SLACK ADJUSTERS

4S/2M ABS BRAKE SYSTEM

WHEELS: 10 HOLE HUB PILOTED, OUTBOARD DRUMS

RIMS: 8.25" X 22.5" TUBELESS STEEL DISC TIRES: YOKOHAMA RYO23 11R22.5 16 PLY SUSPENSION: REYCO 21-B 52,000# CAPACITY

KING PIN: 24" ON A 3/8" KING PIN

FIFTH WHEEL HT.: STANDARD 49"

LANDING GEAR: HOLLAND MARK V

TIRE CARRIER: NA

LIGHTS: LED, REAR LIGHTS RECESSED IN BODY

LIGHT PLUG: 7-WAY

FLAPS: STANDARD FRONT & REAR OF SUSPENSION

BUMPER: I.C.C./FLUSH REAR

HYD. FITTINGS: (1) 5100-S5-16B PRESSURE / (1) 5100-S2-16B RETURN

HYD. HOSES: TWO - 108" X 1"

PAINT: LT CHESTNUT METALLIC PPG#919558

OPTIONS: 3/16" COVER OVER HYD. LINES @ PIN PLATE AREA

2 - OPERATORS/SERVICE MANUALS

1 - PARTS MANUALS

REYCO 21-B UPCHARGE \$1239.00 EACH

SIDE & ROOF UPCHARGE 12GA TO 10GA 450# /.39 SIDE & ROOF UPCHARGE 10GA TO 3/16" 974# / .85

FLOOR CREDIT TIRE CREDIT



Form A: Price Proposal

RFQ #: 5207-0-2023-BP Refuse Trailers

This form must be returned with your response.

Complete the requested information and return via instructions on Page 1 of RFQ. Bidder hereby offers:

Item	Quantity	Description	Unit Price	Extended Price (Quantity x Unit Price)
1.	1 open top trailer	Steel refuse trailer, open top with moving floor, in conformance with the specifications described in this solicitation.	\$	\$
		Dave to Delivery ABO	/each	
2.	3 closed top trailers	Days to Delivery ARO: Steel refuse trailer, closed top with moving floor , in conformance with the specifications described in this solicitation.	\$	\$
		Days to Delivery ARO:	/each (Freight included)	

ARO: After Receipt of Order

		•		
COMPANY NAME	COMPANY NAME			

Above bid submitted by:



Form B: Bidder Information

RFQ #: 5207-0-2023-BP Refuse Trailers

This form must be returned with your response.

BIDDER INFORMATION

COMPANY NAME						
ADDRESS	CITY	STATE	ZIP			
BIDDER'S NAME	TITLE	1				
EMAIL						
SIGNATURE	TELEPHONE NUMBER					
DATE	FAX NUMBER					
LOCAL VENDOR STATUS The City of Madison has adopted a local preference purchasing policy granting a scoring preference to local suppliers. Only						
suppliers registered as of the bid's due date will receive preference. Learn more and register at the City of Madison website.						
CHECK ONLY ONE: Yes, we are a local vendor and have registered category:	on the City of Madison webs www.cityofmadison.com/		•			
■ No, we are not a local vendor or have not registered.						